

# Floor Pads



## FLOOR PADS

### A. FLOOR PADS

PRIME SOURCE®

#### Black Stripping Pads

For long-lasting, heavy-duty stripping.

75004395	75004395	16", Black	5/cs.
75004398	75004398	18", Black	5/cs.

#### Dark Blue Safire™ Maximum Performance Stripping Pads

Highly abrasive for maximum stripping power. Recommended for use on machines operating at 175-350 RPM.

75004446	75004446	20", Dark Blue	5/cs.
----------	----------	----------------	-------

#### Emerald II Stripping Pads

For use with stripping solution to remove even the toughest heel marks and heavy finish buildup. Features include: super open web, highly abrasive, tear resistant, durable and tough and increased efficiency.

76007860	76007860	16", Emerald Green	5/cs.
75004417	75004417	17", Emerald Green	5/cs.
75004418	75004418	20", Emerald Green	5/cs.

#### Aqua Burnisher Pads

A superior soft pad that lightly polishes the floor for a reflective appearance. Recommended for use on machines operating at 1000-3000+ RPM.

75004974	75004974	20", Aqua	5/cs.
----------	----------	-----------	-------

#### Beige UHS Burnishing Pads

A moderately soft burnishing pad for a softer finish.

75004440	75004440	19", Beige	5/cs.
75004449	75004449	20", Beige	5/cs.

#### UHS Burnishing Pads

75004977	20361	17", Natural	5/cs.
75004978	20363	19", Natural	5/cs.
75004475	20364	20", Natural	5/cs.

#### Light Blue UHS Burnishing Pads

Use where burnishing is required on a frequent basis. Soft binders with fine synthetic fiber create a super soft pad for dry burnishing.

75004437	75004437	19", Light Blue	5/cs.
75004397	75004397	21", Light Blue	5/cs.
75004410	75004410	24", Light Blue	5/cs.
75004415	75004415	27", Light Blue, 3/4" CH	2/cs.
75004445	75004445	20", Light Blue	5/cs.

#### Conventional Thickline Spray Buffing Pads

75004427	20046	13", Red	5/cs.
75004429	20047	14", Red	5/cs.
75004436	20050	17", Red	5/cs.
75004444	20052	19", Red	5/cs.
75004453	20053	20", Red	5/cs.

### A. FLOOR PADS CONT.

PRIME SOURCE®

#### Conventional Thickline Stripping Pads

For long lasting, heavy duty stripping. Recommended for use on machines operating at 175-350 RPM.

75004425	20007	13", Black	5/cs.
75004392	20008	14", Black	5/cs.
75004434	20011	17", Black	5/cs.
75004442	20013	19", Black	5/cs.
75004451	20014	20", Black	5/cs.

#### Natural Coco UHS Pads

Natural lubricating factors contribute to the pad's efficiency. Coconut fibers are both organic and biodegradable. Recommended for use on machines operating at 1500-3000+ RPM.

75004992	75004992	20", Natural	5/cs.
----------	----------	--------------	-------

#### Natural Hair UHS Burnishing Pads

A blend of synthetic fibers and natural hair. Pads last longer with lubricating effect of a hair pad.

75004391	75004391	17", Light-Duty	5/cs.
75004399	75004399	20", Light-Duty	5/cs.

#### Blue Cleaning Floor Pads

Designed for moderate scrubbing or heavy spray cleaning. Use with machine speeds of 175-300+RPM.

75004403	75004403	15", Blue	5/cs.
75004458	75004458	21", Blue	5/cs.

#### Conventional Thickline Cleaning Floor Pads

Designed for moderate scrubbing or heavy spray cleaning. Use with machine speeds of 175-300+RPM.

75004424	20202	13", Blue	5/cs.
75004433	20206	17", Blue	5/cs.
75004976	75004976	18", Blue	5/cs.
75004441	20208	19", Blue	5/cs.
75004450	20209	20", Blue	5/cs.

#### UHS Burnishing Pads

75004438	20324	19", Champagne	5/cs.
75004454	20325	20", Champagne	5/cs.
75004409	20329	24", Champagne	5/cs.
75004413	23623	27", Champagne	2/cs.

#### Conventional Scrubbing Pads

75004426	20124	13", Green	5/cs.
75004435	20128	17", Green	5/cs.
75004443	20130	19", Green	5/cs.
75004452	20131	20", Green	5/cs.

#### Red Spray Buffing Pads

Used in dry buffing and spray buffing or light scrubbing applications.

75004407	75004407	16", Red	5/cs.
75004981	75004981	18", Red	5/cs.

#### High Performance Stripping Pad

Manufactured for use on floor machines operating at 175-350 RPM.

75004452	20598	20", Green	5/cs.
----------	-------	------------	-------

FLOOR EQUIPMENT

# Floor Pads



FLOOR EQUIPMENT

## A. FLOOR PADS CONT. PRIME SOURCE®

### UHS Burnishing Pads

Blend of natural hair and synthetic fibers. Use with machine speeds of 1000 to 3000+ RPM.

<b>75004430</b>	20400	17", Natural	5/cs.
<b>75004421</b>	20402	19", Natural	5/cs.
<b>75004447</b>	20403	20", Natural	5/cs.
<b>75004455</b>	20404	21", Natural	5/cs.
<b>75004473</b>	20407	24", Natural	5/cs.
<b>75004464</b>	23625	27", Natural	2/cs.

### Polish Pads

<b>75004422</b>	14413	13", White	5/cs.
<b>75004431</b>	14417	17", White	5/cs.
<b>75004439</b>	14419	19", White	5/cs.
<b>75004448</b>	14420	20", White	5/cs.

### White Super Polishing Pads

Produces a high-gloss, "wet-look" shine in polishing applications.

<b>75004469</b>	75004469	18"	5/cs.
<b>75004456</b>	75004456	21"	5/cs.
<b>75004462</b>	75004462	27", 3/4" CH	2/cs.

## B. FLOOR PADS CCP

### Stripping Pad

<b>27600163</b>	94A	25", Green	24/cs.
-----------------	-----	------------	--------

### Conventional Thickline Cleaning Floor Pads

For wet, medium duty scrubbing. Recommended for use on machines operating at 175-300 RPM.

<b>27600288</b>	20203	14", Blue	5/cs.
<b>27600469</b>	20204	15", Blue	5/cs.
<b>27600475</b>	20205	16", Blue	5/cs.
<b>27600096</b>	20206	17", Blue	5/cs.

### Blue Ice UHS Burnishing Pad

A super soft pad for dry burnishing. Recommended for use on machines operating at 1000-3000+ RPM. Use where burnishing is required on a frequent basis for more time between re-coatings.

<b>27600455</b>	29755	21", Blue	5/cs.
<b>27600428</b>	29781	27"	5/cs.

### Buckaroo™ UHS Burnishing Pads

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000-3000+ RPM.

<b>27600313</b>	20365	21", Natural	5/cs.
<b>27600318</b>	20368	24", Natural	5/cs.
<b>27600422</b>	23624	27", Natural, 3/4" Bolt Hole	2/cs.

### Glit® UHS Burnishing Pads

Soft-textured pad for dry burnishing and buffing for a high gloss. Use with machine speeds of 1000 to 3000+ RPM.

<b>27600488</b>	20322	17", Champagne	5/cs.
-----------------	-------	----------------	-------

## B. FLOOR PADS CONT. CCP

### Conventional Thickline Spray Buffing Pads

For dry buffing, spray buffing or light-duty scrubbing. Recommended for use on machines operating at 175-300 RPM.

<b>27600093</b>	20044	11", Red	5/cs.
<b>27600117</b>	20045	12", Red	5/cs.
<b>27600116</b>	20047	14", Red	5/cs.
<b>27600085</b>	20053	20", Red	5/cs.

### Microtron® Polish Pads

Produces a high gloss, wet look at speeds of 175-1200 RPM.

<b>27604414</b>	14414	14", White	5/cs.
<b>27604424</b>	14424	24", White	5/cs.

### Conventional Thickline Stripping Pads

For long lasting, heavy-duty stripping. Recommended for use on machines operating at 175-350 RPM.

<b>27600443</b>	20004	10", Black	5/cs.
<b>27600483</b>	20006	12", Black	5/cs.
<b>27600498</b>	20013	19", Black	5/cs.
<b>27600446</b>	20014	20", Black	5/cs.

### Fiber Naturals Coco Pad™ Ultra High Speed Burnishing Pads

Natural lubricating factors contribute to the pad's efficiency. Coconut fibers are both organic and biodegradable. Recommended for use on machines operating at 1500-3000+ RPM.

<b>27600432</b>	24001	13"	5/cs.
-----------------	-------	-----	-------

### Jackeroo Lite™ Ultra High Speed Burnishing Pad

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000-3000+ RPM.

<b>27600322</b>	20442	20", Natural	5/cs.
-----------------	-------	--------------	-------

### Joey™ Ultra High Speed Burnishing Pad

A superior, soft pad that lightly polishes the floor for a reflective appearance. Use with machine speeds of 1000 to 3000+ rpm.

<b>27600311</b>	20481	20"	5/cs.
-----------------	-------	-----	-------

### Super Polishing Pads

For dry polishing or with fine water mist to ensure high gloss.

Recommended for use on machines operating at 175 to 350 RPM.

<b>27600147</b>	20083	11", White	1/ea.
<b>27600478</b>	20099	27", White	2/cs.

### Ultra High Speed Burnishing Pads

Soft-textured pad for dry burnishing and buffing for a high gloss. Use with machine speeds of 1000 to 3000+RPM.

<b>27600518</b>	20326	21", Champagne	5/cs.
<b>27600533</b>	20333	28", Champagne	2/cs.

### White Super Polishing Pad

For dry polishing or with water to ensure a high gloss. Recommended for use on machines operating at 175 to 350 rpm.

<b>27604417</b>	14417	17", White	5/cs.
-----------------	-------	------------	-------

# Carpet Bonnets/Buffer/Upright Vacuums



## CARPET BONNETS

### A. KING COTTON BONNET™ CARPET BONNET PRIME SOURCE®

Thick profile pad with looped-end, small diameter cotton yarn provides maximum absorption.  
**75004786** 75004786 17" 6/cs.

### B. QUEEN BONNET™ CARPET BONNETS PRIME SOURCE®

Medium profile pad with aggressive scrubbing strips. Constructed of absorbent blended looped-end yarn for extra durability.  
**75004790** 75004790 19" 6/cs.  
**75004788** 75004788 21" 6/cs.

### C. QUEEN BONNET™ CARPET BONNETS CCP

Medium profile pad with aggressive scrubbing strips. Constructed of absorbent blended looped-end yarn for extra durability.  
**276070181** N007017 17" 1/ea.  
**276070211** N007021 21" 1/ea.

### D. SPIN KLEAN® P-1 BONNET RUBBERMAID

Use with a standard rotary floor machine to pull dirt and soil out of carpets. Standard thickness, original blend bonnets work well with either shampoo or solvent based chemicals. Use with a 175 RPM floor machine.  
**177000661** P119 19", White 1/ea.

### E. SPIN KLEAN® P-4 BONNET W/SCRUB STRIPS RUBBERMAID

Low-profile bonnet with scrub strips adds additional scrubbing action for improved cleaning performance. Use with a standard rotary floor machine for intensive carpet maintenance.  
**177005551** P267 17", White/Green 1/ea.  
**177002691** P269 19", White/Green 1/ea.

## BUFFER/POLISHER

### F. WAX-O-MATIC® FINISH APPLICATION MACHINE CCP

This professional finish application machine applies both water and solvent-based fluids including finishes, sealers, urethanes, restorers and disinfectants, quickly, easily and smoothly. Straight line method, with built-in edge feathering, covers many times the area of conventional methods, without the spills, drips and baseboard splashes. Push button dispensing and replaceable wick pads provide complete control of finish thickness. The Wax-O-Matic® covers about 30,000 sq.ft./hr. and comes with a 3 gal. tank. Wick pads and manual included. Warrantied for one full year. Some assembly required. Comes standard with one set (two pads) of Ultra Refills.

**27601111** B610000 Extra Heavy refill (Lambswool) 2/cs.  
**27606110** B611000 Ultra refill (Velour) 2/cs.

## UPRIGHT VACUUMS

### G. SANITAIRE® COMMERCIAL HEPA UPRIGHT VACUUM ELECTROLUX

#### Bagless

Bagless container with washable, sealed HEPA filtration. Brush view window alerts user when belt needs to be replaced. Headlight illuminates dark or hard to see areas. Wide air path reduces clogging. On-board accessories with 10' reach. Quiet, long-life commercial motor. UL approved for commercial use. Uses dust cup filter Style DCF3 (61825).

**32845816** SC5845A 15" Path, 10A 1/ea.

#### Bagged

Bagged container with washable, sealed HEPA filtration. Brush view window alerts user when belt needs to be replaced. Headlight illuminates dark or hard to see areas. Wide air path reduces clogging. On-board accessories with 10' reach. Quiet, long-life commercial motor. UL approved for commercial use. Uses Style LS Bags (61820).

**32845714** SC5713A 13" Path, Red, LEED Compliant, 10A 1/ea.





# Upright Vacuums



FLOOR EQUIPMENT



## A. SANITAIRE® COMMERCIAL UPRIGHT VACUUM ELECTROLUX

High performance commercial upright. Deep-down cleaning action is possible with the spiral design of the exclusive Vibra Groomer II® brush roll. The Vibra Groomer II® produces an effective wave action that vibrates deeply embedded dirt. Six carpet level adjustments. Wide protective vinyl bumper, large easy-roll rear wheels. Heavy-duty top fill shake-out cloth bag. 50' three-wire grounded cord. Chrome steel ball bearing brush roll, with replaceable bristle strips. Lifetime lubricated. UL approved for commercial use. Meets OSHA specifications for commercial use. Manufacturer's one year parts/labor warranty for commercial use.

**32840685 SC684** 12" Path, 7A 1/ea.



## B. SANITAIRE® COMMERCIAL UPRIGHT VACUUMS ELECTROLUX

Designed with the exclusive Quick Kleen® feature that allows for easy access to the fan chamber. Six level carpet adjustments. Vibra Groomer II® chrome steel brush roll, large easy-roll wheels and chrome steel hood help to extend the life of the machine. Includes 50' power cord. 18 dry qt. dust capacity.

**32840886 SC886** 12" Path, Shake Out Dust Bag, 7A 1/ea.

**32841887 SC887** 12" Path, EZ-Kleen® Dust Cup, 7A 1/ea.



## C. SANITAIRE® COMMERCIAL UPRIGHT VACUUM ELECTROLUX

Designed with the exclusive Quick Kleen® feature that allows for easy access to the fan chamber. Six level carpet adjustments. Vibra Groomer II® chrome steel brush roll, large easy-roll wheels and chrome steel hood help to extend the life of the machine. Micron bag system using a paper disposable dust bag. Also has a brilliant headlight to illuminate shadowed areas. Includes 50' power cord. 11 dry qt. dust capacity.

**32841888 SC888** 12" Path, Micron Paper Bag, 7A 1/ea.



## D. SANITAIRE® LIGHTWEIGHT UPRIGHT VACUUM ELECTROLUX

Shake out dust bag. Easy to maneuver, weighing just over 12 lbs. Four position carpet height adjustment. Includes a 30' power cord. 18 dry qt. dust capacity. Use belt #52100A, brush roll #54104-1. UL Listed.

**32840099 SC679** 12" Path, 5A 1/ea.



## E. SANITAIRE® LIGHTWEIGHT UPRIGHT VACUUM ELECTROLUX

Designed with the E-Z Kleen® clear dust cup that allows the operator to see when the cup needs to be emptied. Easy to maneuver, weighing just over 14 lbs. Four position carpet height adjustment. Includes a 30' power cord. 1.9 dry qt. dust capacity. Use belt #52100A, brush roll #54104-1. UL Listed.

**32840689 SC689** 12" Path, 5A 1/ea.



## F. SANITAIRE® WIDE TRACK® COMMERCIAL UPRIGHT VACUUM ELECTROLUX

Packed full of powerful, easy-to-use features. A 16" cleaning width that allows the user to clean more in one pass than other commercial uprights. The exclusive Vibra Groomer I® brushroll loosens dirt that is embedded into carpets. The removable Quick Kleen® transparent fan chamber makes cleaning or changing the fan fast and easy. With a chrome steel hood, six carpet level positions and a brilliant headlight, large rooms will be cleaner in less time. Includes 50' power cord. 18 dry qt. dust capacity.

**32848899 SC899** 16" Path, 7.2A 1/ea.



## G. MANUAL HEIGHT UPRIGHT VACUUM CLEANERS RUBBERMAID

Nozzle easily removes for service; no tools required for assembly. Easy to replace bags, brush rollers, and filters. Easy to remove clogs. Electronic indicator lights for full bag and brush jam warnings. On-board tool storage. Optional HEPA filtration kit. CRI Green Label certification for improved indoor air quality.

**17700988 9VMH12** 12<sup>5</sup>/<sub>8</sub>"L x 12"W x 46"H, 12", 105 CFM, 98" Waterlift, 10A 1/ea.

**17700987 9VMH15** 12<sup>7</sup>/<sub>8</sub>"L x 15"W x 46"H, 15", 105 CFM, 98" Waterlift, 10A 1/ea.



## H. MAXI-GLIDE™ BAGLESS VACUUM CLEANER RUBBERMAID

Commercial grade construction, V-rated plastic for greater heat resistance. Quiet, clean-air design. Easy empty dust container with one hand operation with Lock 'n Seal™ lever. Micro-Lock™ three stage filtration system with micron filter, two washable filters capturing 99% of dust particles. Optional HEPA filter available. Powerful 12 amp motor. Soft molded-on rubber bumper. 8' wire-reinforced hose. On-board tools for dusting, upholstery and crevice cleaning. 50' commercial cord. 7 Pile height adjustments. OSHA compliant (1910.399). One year commercial warranty.

**17700990 9V00** 15" Path, Gray 1/ea.

# Vacuums/Accessories/Floor Sweepers



## A. MAXI-GLIDE™ CLEAN-AIR VACUUM RUBBERMAID

Best value, quiet, clean-air vacuum with hard body construction. Commercial grade construction V-rated plastic for greater heat resistance. Powerful 12 amp motor. Washable post motor filter (optional micron or HEPA filter available). 5' hose with extension wand. On-board tools for dusting and upholstery cleaning. 35' commercial cord. 5 Pile height adjustments. Weighs 13 lbs. OSHA compliant (1910.399). Six months commercial warranty.  
**17700991** 9V03 12' Path, Gray 1/ea.




## B. POWER HEIGHT UPRIGHT VACUUM CLEANERS RUBBERMAID

Automatic carpet height adjustment for increased productivity. Industry leading 1.8 hp dual motor vacuum provides one pass cleaning, maximizing cleaning performance. Electronic indicator lights for full bag and brush jam warnings. Nozzle easily removes for service. Easy to replace bags, brush rollers, and filters. Easy to remove clogs. On-board tool storage. Optional HEPA filtration kit. CRI Green Label certification for improved indoor air quality.  
**17700998** 9VPH12 13<sup>3</sup>/<sub>8</sub>"L x 12"W x 46"H, 12", 105 CFM, 98" Waterlift, 11A 1/ea.  
**17700996** 9VPH15 13<sup>3</sup>/<sub>8</sub>"L x 15"W x 46"H, 15", 105 CFM, 98" Waterlift, 11A 1/ea.



## C. TRADITIONAL UPRIGHT VACUUM CLEANER RUBBERMAID

Easy-empty paper bag within cloth bag and bag collar seal for improved indoor air quality. 50' power cord. Six-position carpet height adjustment. Durable metal handle tube and bottom plate. Robust furniture guard. CRI Green Label certification for improved indoor air quality.  
**17700986** 9VCV12 16<sup>1</sup>/<sub>2</sub>"L x 13<sup>1</sup>/<sub>10</sub>"W x 46<sup>2</sup>/<sub>5</sub>"H, 12", 156.5 CFM, 7A 1/ea.



## D. ULTRA LIGHT UPRIGHT VACUUM CLEANER RUBBERMAID

Weighs less than 10 lbs. (without cord). Built-in, center-balanced, "easy-carry" handle. Floating nozzle enables cleaning of both hard and soft floor surfaces. 40' power cord. Large outboard wheels. No tools required for assembly. Extension cord hook allows for a easy connection. CRI Green Label certification for improved indoor air quality.  
**17700999** 9VUL12 9<sup>2</sup>/<sub>5</sub>"L x 12<sup>1</sup>/<sub>2</sub>"W x 46<sup>2</sup>/<sub>5</sub>"H, 12", 79.5 CFM, 4A 1/ea.



## BACKPACK VACUUMS

## E. BACKPACK VACUUM CLEANER RUBBERMAID

Lightweight with comfortable harness design. Narrow profile for unrestricted mobility. Very quiet operation for day cleaning. Four stage filtration system. Closed bag design and security latches for cleaner air, no leaks. 50' 3-wire cord. Flexible hose, crevice tool, floor tool, aluminum wands, dusting brush, and upholstery tool included. Optional HEPA bags available. CRI Green Label certification for improved indoor air quality. 8A.  
**17700983** 9VBP06 6 qt., 11<sup>1</sup>/<sub>2</sub>"L x 13"W x 21<sup>1</sup>/<sub>10</sub>"H, 110 CFM, 100" Waterlift 1/ea.



## VACUUM ACCESSORIES

## F. VACUUM BAGS RUBBERMAID

Disposable replacement bag for 9VBP06.  
**17700976** 9VBPP06 Vacuum Bag 100/cs.  
 Disposable replacement bag for 9VPH12, 9VPH15, 9VMH12, and 9VMH15.  
**17700152** 9VMHBA12 Vacuum Bag 100/cs.



## FLOOR SWEEPERS

## G. HUSKEE BRISTLE SWEEPER CCP

Commercial bristle sweeper with horsehair and boar brush agitation. Low profile design with 180° handle. Textured paint resists scratches. Rubber bumpers prevent damage.  
**276053261** 5323 9<sup>1</sup>/<sub>2</sub>"W, Blue 1/ea.



## H. HUSKEE POWERROTOR™ FLOOR SWEEPER CCP

Floor sweeper cleans hard floors and carpets. The self-cleaning flexible rubber blades beat the floor with high frequency, creating friction and momentum that cleanly transports dirt, food, lint and other debris into the dust compartments. Durable plastic body resists scratches and dents and is easy on walls, doors and furniture.  
**276053271** 5325 9<sup>1</sup>/<sub>2</sub>"W 1/ea.



## I. FLOOR/CARPET SWEEPER RUBBERMAID

Smaller size gets into tight spots. Easy-open debris pan for effortless cleaning. Constructed of durable galvanized steel and tough ABS plastic. Ideal for bare floors or low pile carpets.  
**17704212** 421288 6<sup>1</sup>/<sub>2</sub>" Path, Black 4/cs.



FLOOR EQUIPMENT